



**More than cooking.**



## More than cooking.

We transform kitchens from functional rooms to genuine living spaces through the use of innovative products that make cooking, baking and food storage easier while also promoting a healthy lifestyle. Cooking, dining and living areas should be optimally designed to enable good communication in open settings. The BORA X BO steam oven and the refrigeration and freezing systems are a logical progression from the cooktop extractor systems. They are quiet, odourless and aesthetically pleasing. The BORA lighting, which enables kitchens to shine from both an emotional and a functional perspective, rounds off the product range. For extraordinary cooking experiences.

### BORA PLANNING SERVICE

You can find planning information such as cut-out dimensions, sample plans and installation steps in the BORA planning guide or at [bora.com](https://bora.com) and on the BORA PartnerNet ([partner.bora.com](https://partner.bora.com)).

We will support you in the planning of our BORA appliances.































In the event of any queries, please contact our planning team: [support.apac@bora.com](mailto:support.apac@bora.com), T +61 2 97 19 23 50

### BORA TECHNICAL SUPPORT

In our technical support department all employees have extensive experience in customer service and orientation. They are active members of our office and field staff. Our colleagues in the office are a highly competent point of contact when end customers need help with our appliances, for whatever reason. Often, error analysis over the phone is enough to solve the problem promptly without the need to send someone out. The service technicians in the field, on the other hand, process and perform service tasks face to face, representing BORA in person.


In the event of any queries, please contact our technical support team: [support.apac@bora.com](mailto:support.apac@bora.com), T +61 2 97 19 23 50

# BORA accessory matrix – cooktop extractor systems

Item no.		Description	Price	Professional 3.0					
				Classic 2.0	S Pure	Pure	M Pure	X Pure	
PUED		Pure air inlet nozzle black (RAL 9005)	\$ 179,00			X	X	X	
PUEDB		Pure air inlet nozzle blue (RAL 5002)	\$ 199,00			X	X	X	
PUEDR		Pure air inlet nozzle red (RAL 3032)	\$ 199,00			X	X	X	
PUEDG		Pure air inlet nozzle greige (RAL 8025)	\$ 199,00			X	X	X	
PUEDJ		Pure air inlet nozzle jade green (RAL 6019)	\$ 199,00			X	X	X	
PUEDO		Pure air inlet nozzle orange (RAL 2004)	\$ 199,00			X	X	X	
PUEDS		Pure air inlet nozzle sunny yellow (RAL 1003)	\$ 199,00			X	X	X	
PUEDL		Pure air inlet nozzle light gray (RAL 7040)	\$ 199,00			X	X	X	
PUXED		X Pure air inlet nozzle	\$ 229,00						X
CKAED		Classic air inlet nozzle	\$ 449,00		X				
CKAEDAB		Classic air inlet nozzle All Black	\$ 459,00		X				
PKA1VK		Pro cover flap	\$ 329,00	X					
PKA1VKAB		Pro cover flap All Black	\$ 479,00	X					
PKR3		Pro knob ring	\$ 159,00	X					
PKR3AB		Pro knob ring All Black	\$ 229,00	X					
PUAKF		Pure activated carbon filter	\$ 189,00			X	X	X	X
ULBF		Air purification box flexible	\$ 409,00	X	X				
ULB3X		Air purification box 3	\$ 919,00	X	X				
PUEF		Pure stainless steel grease filter	\$ 229,00			X	X	X	X
CKAFFE		Classic grease filter unit	\$ 319,00		X				
PKA1FF		Pro stainless steel grease filter	\$ 189,00	X					
PKA1FW		Pro filter tray	\$ 82,00	X					
BKR580		Cooktop frame for width 580mm	\$ 289,00			X			
BKR760		Cooktop frame for width 760mm	\$ 379,00				X	X	
BKR830		Cooktop frame for width 830mm	\$ 399,00						X
CER		Classic inlay-frame	\$ 419,00		X				
USL515		Side frame for cooktop depth 515mm	\$ 269,00		X	X	X	X	X
USL515AB		Side frame for cooktop depth 515mm All Black	\$ 409,00		X	X	X	X	X
PTTS1		Tepan spatula	\$ 79,00	X	X				
KWGPFI		Surface induction grill pan*	\$ 499,00	X	X			X	X

## BORA X Pure surface induction cooktop with integrated cooktop extractor

Dimensions (width x depth x height): 830 x 515 x 199 mm



\*\*Grill pan for surface induction possible

### PUXA \*\*

X Pure surface induction cooktop with integrated cooktop extractor - exhaust air

**\$ 7449,00**

incl. GST.



### PUXU \*\*

X Pure surface induction cooktop with integrated cooktop extractor - recirculation

**\$ 7449,00**

incl. GST.



## BORA surface induction glass ceramic cooktops, each with 2 cooking zones consisting of:



\*\*Grill pan for surface induction possible

### CKA2FIAB

BORA Classic 2.0 Set surface induction All Black

Dimensions (width x depth x height): 772 x 515 x 190 mm

- 1 x CKASE2AB: Classic 2.0 set cooktop extractor system All Black
- 2 x CKFI: Classic surface induction cooktop \*\*

**\$ 10679,00** incl. GST.

## BORA surface induction glass ceramic cooktops, each with 2 cooking zones, consisting of:



\*\*Grill pan for surface induction possible

### PKAS3FIAB

BORA Professional 3.0 set All Black

Dimensions (width x depth x height): 852 x 540 x 199 mm

- 1 x PKAS3AB: Pro cooktop extractor system with integrated fan All Black
- 2 x PKFI3AB: Pro surface induction cooktop All Black \*\*
- 1 x EFV/1: Ecotube duct connection flat incl. sealing material
- 1 x EFS375/1: Ecotube shallow duct with a bar 375mm
- 1 x EFBV90/1: Ecotube bend 90° flat vertical incl. sealing material

**\$ 17949,00** incl. GST.



### Accessories for recirculation mode – BORA air purification boxes

Powerful filters for your recirculation system: BORA Professional and BORA Classic.



### UEBR/1 \*

3box wall sleeve round

**\$ 419,00**



### UEBF/1 \*

3box wall sleeve

**\$ 419,00**



### HEJALFLOW

Naber Compair stainless steel exterior shutter

**\$ 299,00**



### ULBF

Air purification box flexible

**\$ 409,00**



### ULB3X

Air purification box 3

**\$ 919,00**

\*incl. sealing materials

All prices incl. GST.



### KWGPFI

Surface induction grill pan

- Optimally designed for BORA surface induction cooktops from a technical point of view
- Simple to clean and easy to remove food remnants thanks to high-quality non-stick coating
- Silicone base pads prevent the glass ceramic from getting scratched
- Compatible with BORA X BO and ovenproof up to 250°C
- Minimalistic design

**\$ 499,00** incl. GST.

**BORA Pure induction cooktop with integrated cooktop extractor**

Dimensions (width x depth x height): 760 x 515 x 199 mm

**PURA**

Pure induction cooktop with integrated cooktop extractor - Exhaust air

**\$ 5549,00**

incl. GST.

**PURU**

Pure induction cooktop with integrated cooktop extractor - Recirculation

**\$ 5549,00**

incl. GST.

**BORA surface induction glass ceramic cooktops, each with 2 cooking zones consisting of:****CKA2FI**

BORA Classic 2.0 set surface induction

Dimensions (width x depth x height): 772 x 515 x 190 mm

- 1 x CKASE2: Classic 2.0 set cooktop extractor system
- 2 x CKFI: Classic surface induction cooktop \*\*

**\$ 10359,00** incl. GST.

\*\*Grill pan for surface induction possible

**BORA surface induction glass ceramic cooktops, each with 2 cooking zones, consisting of:****PKAS3FI**

BORA Professional 3.0 set surface induction

Dimensions (width x depth x height): 852 x 540 x 199 mm

- 1 x PKAS3: Pro cooktop extractor system with integrated fan
- 2 x PKFI3: Pro surface induction cooktop \*\*
- 1 x EFV/1: Ecotube duct connection flat incl. sealing material
- 1 x EFS375/1: Ecotube shallow duct with a bar 375mm
- 1 x EFBV90/1: Ecotube bend 90° flat vertical incl. sealing material

**\$ 15519,00** incl. GST.

\*\*Grill pan for surface induction possible

**EFR90/1 \***

Ecotube bridge 90° flat round

**\$ 60,00****EFBV90/1 \***

Ecotube bend 90° flat vertical

**\$ 50,00****EFRG/1 \***

Ecotube bridge flat round straight

**\$ 58,00****EFRV/1 \***

Ecotube bridge flat round offset

**\$ 80,00****EFRV110/1 \***

Ecotube transition, flat round offset 110mm

**\$ 74,00****NEW****EFAP**

Ecotube flat adapter flexible

**\$ 109,00**

\*Products are included with the BORA X BO

**Accessories (optional)****XBOGBG \***


X BO perforated stainless steel tray

**\$ 229,00** incl. GST.**XBOUBT**

X BO universal tray deep

**\$ 279,00** incl. GST.**XBORS \***

X BO frame spacer

**\$ 59,00** incl. GST.**XBOGF \***

X BO odour filter

**\$ 189,00** incl. GST.**XBORK/6 \***

X BO cleaning cartridge (6 pce.)

**\$ 59,00** incl. GST.**XBORK/12**

X BO cleaning cartridge (12 pce.)

**\$ 109,00** incl. GST.

**BORA M Pure surface induction cooktop with integrated cooktop extractor**

Dimensions (width x depth x height): 760 x 515 x 199 mm



\*\*Grill pan for surface induction possible

**PURMA \*\***

M Pure surface/induction cooktop with integrated cooktop extractor – exhaust air

**\$ 6595,00**

incl. GST.

**PURMU \*\***

M Pure surface/induction cooktop with integrated cooktop extractor – recirculation

**\$ 6595,00**

incl. GST.

**BORA surface induction glass ceramic cooktop and BORA Tepan stainless steel grill, each with 2 cooking zones, consisting of:**

\*\*Grill pan for surface induction possible

**CKA2FIT**

BORA Classic 2.0 Set surface induction Tepan

Dimensions (width x depth x height): 772 x 515 x 190 mm

- 1 x CKASE2: Classic 2.0 set cooktop extractor system
- 1 x CKFI: Classic surface induction cooktop \*\*
- 1 x CKT: Classic Tepan stainless steel grill with 2 cooking zones

**\$ 11849,00** incl. GST.**BORA surface induction glass ceramic cooktop and BORA Tepan stainless steel grill, each with 2 cooking zones, consisting of:**

\*\*Grill pan for surface induction possible

**PKAS3FIT**

BORA Professional 3.0 set surface induction Tepan

Dimensions (width x depth x height): 852 x 540 x 199 mm

- 1 x PKAS3: Pro cooktop extractor system with integrated fan
- 1 x PKFI3: Pro surface induction cooktop \*\*
- 1 x PKT3: Pro Tepan stainless steel grill with 2 cooking zones
- 1 x EFV/1: Ecotube duct connection flat incl. sealing material
- 1 x EFS375/1: Ecotube shallow duct with a bar 375mm
- 1 x EFBV90/1: Ecotube bend 90° flat vertical incl. sealing material

**\$ 16669,00** incl. GST.**ERV/1 \***

Ecotube duct connection round

**\$ 21,00****EFV/1 \***

Ecotube duct connection flat

**\$ 21,00****EFBH15/1 \***

Ecotube bend 15° flat horizontal

**\$ 33,00****EFMS/1**

Ecotube installation kit flat

**\$ 17,00****ERMS/1**

Ecotube installation set round

**\$ 17,00****UEBRK/1 \***

3box wall sleeve round short

**\$ 309,00****BORA multi drawer Set incl. glass front****MSS140**Multi drawer Set 140mm incl. glass front (1x MS140, 1x MSF140)  
Dimensions (width x height x depth): 559 x 140 x 537 mm**\$ 3069,00** incl. GST.**MSS290**Multi drawer Set 290mm incl. glass front (1x MS290, 1x MSF290)  
Dimensions (width x height x depth): 559 x 290 x 537 mm**\$ 3409,00** incl. GST.**Accessories (optional)****MSER**

Multi drawer level-grid

**\$ 139,00** incl. GST.



**BORA S Pure induction cooktop with integrated cooktop extractor**

Dimensions (width x depth x height): 580 x 515 x 199 mm

**PURSA**

S Pure induction cooktop with integrated cooktop extractor - Exhaust air

**\$ 3929,00**

incl. GST.

**PURSU**

S Pure induction cooktop with integrated cooktop extractor - Recirculation

**\$ 3929,00**

incl. GST.

**BORA gas glass ceramic cooktops, each with 2 cooking zones, consisting of:****CKA2G**

BORA Classic 2.0 set gas

Dimensions (width x depth x height): 772 x 515 x 190 mm

- 1 x CKASE2: Classic 2.0 set cooktop extractor system
- 2 x CKG: Classic gas cooktop

**\$ 14139,00** incl. GST.**BORA gas glass ceramic cooktops, each with 2 cooking zones, consisting of:****PKAS3G**

BORA Professional 3.0 set gas

Dimensions (width x depth x height): 852 x 540 x 199 mm


- 1 x PKAS3: Pro cooktop extractor system with integrated fan
- 2 x PKG3: Pro gas cooktop
- 1 x EFV/1: Ecotube duct connection flat incl. sealing material
- 1 x EFS375/1: Ecotube shallow duct with a bar 375mm
- 1 x EFBV90/1: Ecotube bend 90° flat vertical incl. sealing material

**\$ 16839,00** incl. GST.**Accessories for exhaust air mode – BORA Ecotube and 3box – duct system****ER750/1**

Ecotube round duct, 750mm

**\$ 38,00****EFS750/1**

Ecotube shallow duct with a bar 750mm

**\$ 52,00****EFS375/1**

Ecotube shallow duct with a bar 375mm

**\$ 38,00****EF47/1**

Ecotube shallow duct 47mm

**\$ 8,00****ERB90/1 \***

Ecotube bend 90° round

**\$ 50,00****EFBH90/1 \***

Ecotube bend 90° flat horizontal

**\$ 72,00****BORA X BO steam oven**

Dimensions (width x height x depth): 598 x 599 x 580 mm

**XBO**

X BO steam oven

**\$ 11849,00** incl. GST.**Accessories (for replacement requirements)****XBOBGR \***

X BO oven rack

**\$ 189,00** incl. GST.**XBOUB \***

X BO universal tray

**\$ 239,00** incl. GST.



BORA APAC Pty Ltd  
100 Victoria Road  
Drummoyne NSW 2047  
T +61 2 97 19 23 50  
support.apac@bora.com

**New BORA showroom Brisbane**  
B&D Selection Centre  
66 Merivale St South  
Brisbane QLD 4101

EN – AU

---

Errors and technical changes reserved. Created: 01/2024  
The prices specified are our recommended retail prices. All prices incl. GST. (10% VAT)

Due to ongoing improvements thanks to research and development, BORA reserve the right to change product specifications or features without prior notice.  
BORA shall not be held liable for printing errors. Publication of images and diagrams requires written authorisation.

[bora.com/au/au](https://bora.com/au/au)