BORA

EN Energy labelling PKA3/PKA3AB

Product information according to delegated regulation (EU) no. 65/2014 and regulation (EU) no. 66/2014.

Manufacturer		BORA	
Model identification		РКАЗ/РКАЗАВ	
	Symbol	Value	Unit
Energy consumption			
Annual energy consumption	AEChood	26,3	kWh/a
Energy efficiency class	-	A++	-
Energy efficiency index	EEIhood	35,2	-
Flow volume			
Fluid dynamic efficiency	FDEhood	36,9	-
Fluid dynamic efficiency class	-	А	-
Minimum air flow in normal use	-	269	m³/h
Maximum air flow in normal use	-	598	m³/h
Maximum air flow on intensive or boost setting (power setting)	Q _{max}	613	m³/h
Measured air flow rate at best efficiency point	Q _{BEP}	283,7	m³/h
Measured air pressure at best efficiency point	P _{BEP}	507,3	Pa
Measured electric power input at best efficiency point	W _{BEP}	108,3	W
Time increase factor	f	0,7	-
Lighting			
Lighting efficiency	LEhood	*	lx/W
Lighting efficiency class	-	*	-
Nominal power of the lighting system	WL	*	W
Average illumination of the lighting system on the cooking surface	E _{middle}	*	lx
Grease filtering			
Grease filtering efficiency	GFE _{hood}	83,7	%
Grease filtering efficiency class	-	С	-
Noise			
Airborne acoustical A-weighted sound power emissions at minimum speed available in normal use	-	47	dB(A) re_1pW
Airborne acoustical A-weighted sound power emissions at maximum speed available in normal use	-	65	dB(A) re_1pW
Airborne acoustical A-weighted sound power emissions on intensive or boost setting (power setting)	-	65	dB(A) re_1pW
Sound pressure level at minimum speed available in normal use**	-	33	LpA in dB re 20 µPa
Sound pressure level at maximum speed available in normal use**	-	52	LpA in dB re 20 µPa
Sound pressure level on intensive or boost setting (power setting)**	-	52	LpA in dB re 20 µPa
Power consumption			
Power consumption in off mode	Po	0,18	W
Power consumption in standby mode	Ps	*	W
Francy Johan Jana Standard Standard Standard	U U		

Energy labelling

* Not applicable to this product.

** Voluntary information

The sound pressure level has been determined from a distance of 1 m (distance-dependent level recording) on the basis of the sound power level established in EN 60704-2-13.

PKA3ELDEN-005