BORA



BORA S Pure

BORA S Pure highlights



Minimalist design

Thanks to the flush-integrated cooktop and extractor as well as the minimalist design, the BORA S Pure integrates seamlessly into any contemporary kitchen.

Intuitive sControl operating panel

The unique vertical slider makes operating the cooktop easier than ever by intuitively swiping your finger up or down or directly tapping the controls. All important functions are instantly at your fingertips.

Minimum volume

Always markedly quiet – even at high power levels: thanks to the optimum airflow and the use of an extremely quiet fan. There are no distractions when cooking and no interruptions when entertaining.

Integrated drip tray

If anything is spilt during cooking, the integrated drip tray safely catches both solids and liquids.

eSwap - easy filter change

In recirculation mode, odours are neutralised by a highly efficient activated charcoal filter. To make changing the filter easier, it can be accessed from the top through the air inlet opening, without removing drawers or plinth panels.

BORA S Pure highlights

Ultra-compact design

The solution to all space issues: with its extremely compact dimensions, the BORA S Pure cooktop is the perfect choice for even the smallest of kitchens. It even fits in kitchen units with a width of just 60 cm. This opens up a whole new range of kitchen design options!

Simple cleaning

All parts that come into contact with cooking vapours can be easily removed through the wide and easily accessible air inlet opening. They can then be cleaned in the dishwasher, where they take up very little space.

Optimum cooktop use

The BORA S Pure has four cooking zones of different sizes, suitable for accommodating pots and pans with all conventional dimensions. Two of the four induction coils have been specially developed for the BORA S Pure. This enables optimum use of the entire cooktop surface. Users can easily cook with up to four pots and pans of conventional sizes at the same time, no matter how large or small.

Maximum storage space

At under 200 mm, the low installation height and integrated recirculation unit guarantee maximum storage space for pots, pans and other kitchen utensils in the cupboard below. Even in 60-cm-deep kitchen units, no drawers need to be shortened in recirculation mode. A change from the norm.

Automatic extractor control

The extractor power level automatically adjusts itself to the cooktop usage. There is no need for constant manual adjustment, so users can fully focus on cooking.

A surprising number of options.



With its compact dimensions, the BORA S Pure cooktop fits into even the smallest of kitchens, solving all of your space dilemmas. The BORA S Pure's integrated and automatically controlled extractor fully draws away vapours and odours while cooking. The unique asymmetric arrangement of the extractor opening makes it possible to cook on four cooking zones of different sizes. With this extraordinary and modern appearance, the BORA S Pure further refines any kitchen design. The touch slider makes all operating functions easily accessible at the touch of a finger – and with its quiet fan, the extractor is barely audible even on high power.

Cooktop



PURSA / PURSU 580 x 515 mm

BORA S Pure induction cooktop with integrated cooktop extractor – exhaust air / recirculation

Air inlet nozzles



PUED
BORA Pure
air inlet
nozzle

black



PUEDB

BORA Pure air inlet nozzle blue



PUEDG

BORA Pure air inlet nozzle greige



PUEDO

BORA Pure air inlet nozzle orange



PUEDR

BORA Pure air inlet nozzle red



PUEDI

BORA Pure air inlet nozzle jade green



PUEDL

BORA Pure air inlet nozzle light grey



PUEDS

BORA Pure air inlet nozzle sun yellow

Installation variants

Flush installation / surface mounting



Flush installation



Surface mounting

All product information

Would you like to find out more about BORA products? lust visit our website: bora.com/s-pure

Edge protection for surface mounted models



BKR580BORA Cooktop frame for width 580 mm



USL5 15BORA side frames for cooktop depth 515 mm



USL515ABBORA side frames for cooktop depth 515 mm All Black

BORA S Pure Coffee function



The coffee function on the BORA S Pure's two left cooktops makes brewing coffee incredibly simple. All you need is an induction-compatible espresso pot with a diameter of at least 7 cm. Once set to your espresso pot's water capacity, the cooktop heats up automatically and switches off after the required time. The remaining time on the coffee function can be checked by tapping the multi-function display. The result: your morning coffee is freshly prepared for you while you get on with starting your day.

Practical down to the last detail



Fine technical details that make all the difference: our unique eSwap system allows you to change the filter from the top through the air inlet aperture – without having to remove drawers or plinth panels.

BORA warranty



We trust in our products and strongly believe in their quality! That's why we're extending the two-year manufacturer's warranty on your BORA system for an extra year.

For more information, please read the current terms and conditions: mybora.com/warranty2plus1

Extend your warranty

Enter the registration code for your BORA appliance to extend the warranty by a year free of charge.

Just visit our website: mybora.com/registration

Experience BORA live



Want to discover BORA products and try them out? Prepare to be delighted at a BORA event near you – see our products' functionality, premium materials and extraordinary design for yourself. Whether at a BORA Cooking Experience or a BORA Product Experience with one of our BORA partners or in the BORA Cooking Truck, we look forward to seeing you!

Find a BORA event near you: bora.com/events

Find a BORA retail partner

Do you have any questions, or would you like to discover our systems in person? You can find your nearest BORA retail partner here:

bora.com/dealer

